EBRPD Wildfire Hazard Reduction Stewardship Resource Site Assessment

Park: Tilden Da	ate (MM/DD/YYYY):						
RTA: TI004 Su	Sub-RTA:						
Recorder(s): Sheppard, Theile, Gartland, Graul, Riensche, Legard							
Acres: 48.5 Aspect: Slope(max):75% (min) 15%							
FEMA Polygon: yes □ no Park Boundary Delineated: yes □ no □ N/A							
Initial Treatmen ☐ Maintenance: ☐ Funding code: 336-74XX-105-4021-541700-224							
Vegetation Management Goal(s): Thinned Eucalyptus							
Fire Dept. Recommended Treatment Type(s): Euc. and conifer removal; 25-35 ft. spacing; ladder,							
dead, & down fuel reduced; traditional cost-effective logging techniques; herbicides; grazing							
Stewardship Preferred Treatment Type(s): Same as Fire Dept.							
	7						
Special Status Animal Species	initials: DLR						
	2 WHR&RMP, & Wildlife Survey Datasheet TI004-3-17-2011, grassland &						
I M	ush (limited) with lizards along treatment site edges, AWS work windows commended (work to occur 10/31 to 4/1), qualified biological monitor may be required						
A 1 T TT T 1	ke potential habitat outside of this work window.						
☐ Other Special Status Species <u>none</u>	none						
★ Keystone/Indicator Species 9 Keystone	9 Keystone/ 13 Indicators, see Wildlife Survey Datasheet TI004-3-17-2011						
☐ Fisheries Survey Necessary none	Necessary <u>none</u>						
other none	none						
★ Check with Park Staff for additional species sitings	/information none						
Soil Erosion Potential	initials: RG						
Soil Erosion Potential Soil Type(s): millsholm loam (S), gilroy clay loa							
Soil Type(s): millsholm loam (S), gilroy clay loa	m, Listed as "unstable" or "many landslides"						
Soil Type(s): millsholm loam (S), gilroy clay load Habitable structure within 100ft. of slope toe	m, Listed as "unstable" or "many landslides"						
Soil Type(s): millsholm loam (S), gilroy clay loa ☐ Habitable structure within 100ft. of slope toe ♣ Prescribed treatment includes heavy equipment	m, ☐ Listed as "unstable" or "many landslides" ★ Average slope greater than 18 percent						
Soil Type(s): millsholm loam (S), gilroy clay loa ☐ Habitable structure within 100ft. of slope toe ♣ Prescribed treatment includes heavy equipment	m, □ Listed as "unstable" or "many landslides" ★ Average slope greater than 18 percent □ Visible evidence of landslide activity ★ USGS Mapped Landslides						
Soil Type(s): millsholm loam (S), gilroy clay load ☐ Habitable structure within 100ft. of slope toe Prescribed treatment includes heavy equipment Slope greater than 30 percent in polygon	m, □ Listed as "unstable" or "many landslides" ♣ Average slope greater than 18 percent □ Visible evidence of landslide activity ♣ USGS Mapped Landslides lk entire TA - RG)						
Soil Type(s): millsholm loam (S), gilroy clay load ☐ Habitable structure within 100ft. of slope toe ☐ Prescribed treatment includes heavy equipment ☐ Slope greater than 30 percent in polygon Pre-existing Sediment Sources: none? (need to was Erosion Control Measures: Recommended for di	Im, □ Listed as "unstable" or "many landslides" ♣ Average slope greater than 18 percent □ Visible evidence of landslide activity ♣ USGS Mapped Landslides lk entire TA - RG) sturbed slopes over 60%						
Soil Type(s): millsholm loam (S), gilroy clay load ☐ Habitable structure within 100ft. of slope toe ☐ Prescribed treatment includes heavy equipment ☐ Slope greater than 30 percent in polygon Pre-existing Sediment Sources: none? (need to was Erosion Control Measures: Recommended for di Vegetation Types initials: RG	Listed as "unstable" or "many landslides" ★ Average slope greater than 18 percent Visible evidence of landslide activity VISGS Mapped Landslides lk entire TA - RG) sturbed slopes over 60% Potential Special Status Plants initial: WL						
Soil Type(s): millsholm loam (S), gilroy clay load ☐ Habitable structure within 100ft. of slope toe ☐ Prescribed treatment includes heavy equipment ☐ Slope greater than 30 percent in polygon Pre-existing Sediment Sources: none? (need to was Erosion Control Measures: Recommended for di	Im, □ Listed as "unstable" or "many landslides" ♣ Average slope greater than 18 percent □ Visible evidence of landslide activity ♣ USGS Mapped Landslides lk entire TA - RG) sturbed slopes over 60%						
Soil Type(s): millsholm loam (S), gilroy clay load ☐ Habitable structure within 100ft. of slope toe ☐ Prescribed treatment includes heavy equipment ☐ Slope greater than 30 percent in polygon Pre-existing Sediment Sources: none? (need to water the sediment of the sed	Listed as "unstable" or "many landslides" ♣ Average slope greater than 18 percent □ Visible evidence of landslide activity ♣ USGS Mapped Landslides lk entire TA - RG) sturbed slopes over 60% Potential Special Status Plants initial: WL Western Leatherwood (Dirca occidentalis)						
Soil Type(s): millsholm loam (S), gilroy clay load ☐ Habitable structure within 100ft. of slope toe ☐ Prescribed treatment includes heavy equipment ☐ Slope greater than 30 percent in polygon Pre-existing Sediment Sources: none? (need to water the sediment of the sed	Listed as "unstable" or "many landslides" ★ Average slope greater than 18 percent Visible evidence of landslide activity VISGS Mapped Landslides lk entire TA - RG) sturbed slopes over 60% Potential Special Status Plants initial: WL Western Leatherwood (Dirca occidentalis) Scattered plants located 1) ~900 ft. W. of S.						
Soil Type(s): millsholm loam (S), gilroy clay load ☐ Habitable structure within 100ft. of slope toe ☐ Prescribed treatment includes heavy equipment ☐ Slope greater than 30 percent in polygon Pre-existing Sediment Sources: none? (need to water the sediment of the sed	Listed as "unstable" or "many landslides" ♣ Average slope greater than 18 percent □ Visible evidence of landslide activity ♣ USGS Mapped Landslides lk entire TA - RG) sturbed slopes over 60% Potential Special Status Plants initial: WL Western Leatherwood (Dirca occidentalis) Scattered plants located 1) ~900 ft. W. of S. end of poly, and 2) ~850 ft. W. of NW corner						
Soil Type(s): millsholm loam (S), gilroy clay load ☐ Habitable structure within 100ft. of slope toe ☐ Prescribed treatment includes heavy equipment ☐ Slope greater than 30 percent in polygon Pre-existing Sediment Sources: none? (need to water the sediment of the sed	Listed as "unstable" or "many landslides" ★ Average slope greater than 18 percent Visible evidence of landslide activity VISGS Mapped Landslides lk entire TA - RG) sturbed slopes over 60% Potential Special Status Plants initial: WL Western Leatherwood (Dirca occidentalis) Scattered plants located 1) ~900 ft. W. of S. end of poly, and 2) ~850 ft. W. of NW corner of the poly.						
Soil Type(s): millsholm loam (S), gilroy clay load ☐ Habitable structure within 100ft. of slope toe ☐ Prescribed treatment includes heavy equipment ☐ Slope greater than 30 percent in polygon Pre-existing Sediment Sources: none? (need to water the sediment of the sed	Listed as "unstable" or "many landslides" Average slope greater than 18 percent Visible evidence of landslide activity USGS Mapped Landslides Ik entire TA - RG) sturbed slopes over 60% Potential Special Status Plants initial: WL Western Leatherwood (Dirca occidentalis) Scattered plants located 1) ~900 ft. W. of S. end of poly, and 2) ~850 ft. W. of NW corner of the poly. Pallid Manzanita (Arctostaphylos pallida)						
Soil Type(s): millsholm loam (S), gilroy clay load ☐ Habitable structure within 100ft. of slope toe ☐ Prescribed treatment includes heavy equipment ☐ Slope greater than 30 percent in polygon Pre-existing Sediment Sources: none? (need to water the sediment of the sed	Listed as "unstable" or "many landslides" ★ Average slope greater than 18 percent Visible evidence of landslide activity VISGS Mapped Landslides Ik entire TA - RG) sturbed slopes over 60% Potential Special Status Plants initial: WL Western Leatherwood (Dirca occidentalis) Scattered plants located 1) ~900 ft. W. of S. end of poly, and 2) ~850 ft. W. of NW corner of the poly. Pallid Manzanita (Arctostaphylos pallida) ~ 20 mature plants located ~120 ft. SE of the						
Soil Type(s): millsholm loam (S), gilroy clay load ☐ Habitable structure within 100ft. of slope toe ♣ Prescribed treatment includes heavy equipment ♣ Slope greater than 30 percent in polygon Pre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources: none? (need to water to be a surface) Fre-existing Sediment Sources:	Listed as "unstable" or "many landslides" Average slope greater than 18 percent Visible evidence of landslide activity USGS Mapped Landslides Ik entire TA - RG) Sturbed slopes over 60% Potential Special Status Plants initial: WL Western Leatherwood (Dirca occidentalis) Scattered plants located 1) ~900 ft. W. of S. end of poly, and 2) ~850 ft. W. of NW corner of the poly. Pallid Manzanita (Arctostaphylos pallida) ~ 20 mature plants located ~120 ft. SE of the S. end of the poly. (Field survey conducted 2011-09-29)						
Soil Type(s): millsholm loam (S), gilroy clay load ☐ Habitable structure within 100ft. of slope toe ☐ Prescribed treatment includes heavy equipment ☐ Slope greater than 30 percent in polygon Pre-existing Sediment Sources: none? (need to waterosion Control Measures: Recommended for discontinuous Forest/Plantation Non-native coniferous forest Coyote bush scrub Existing Invasive Species	Listed as "unstable" or "many landslides" Average slope greater than 18 percent Visible evidence of landslide activity USGS Mapped Landslides lk entire TA - RG) sturbed slopes over 60% Potential Special Status Plants initial: WL Western Leatherwood (Dirca occidentalis) Scattered plants located 1) ~900 ft. W. of S. end of poly, and 2) ~850 ft. W. of NW corner of the poly. Pallid Manzanita (Arctostaphylos pallida) ~ 20 mature plants located ~120 ft. SE of the S. end of the poly.						
Soil Type(s): millsholm loam (S), gilroy clay load ☐ Habitable structure within 100ft. of slope toe ※ Prescribed treatment includes heavy equipment ※ Slope greater than 30 percent in polygon Pre-existing Sediment Sources: none? (need to water to be a surface) Pre-existing Sediment Sources: none? (need to water to be a surface) Erosion Control Measures: Recommended for discontinuous Forest/Plantation Non-native coniferous forest Coyote bush scrub	Listed as "unstable" or "many landslides" Average slope greater than 18 percent Visible evidence of landslide activity USGS Mapped Landslides Ik entire TA - RG) Sturbed slopes over 60% Potential Special Status Plants initial: WL Western Leatherwood (Dirca occidentalis) Scattered plants located 1) ~900 ft. W. of S. end of poly, and 2) ~850 ft. W. of NW corner of the poly. Pallid Manzanita (Arctostaphylos pallida) ~ 20 mature plants located ~120 ft. SE of the S. end of the poly. (Field survey conducted 2011-09-29)						

Potential Invasive Species			initials:	АТ	I	1	
Eucalyptus				,	**	<u> </u>	
French Broom (Genista monspessulan	a)					•	
<u> </u>							
Hydrologic Features			initials:	MG			
⊠ Wetland □ none	distan	ce from treatment:			0 ft.	1	
Wetland must be avoided	length	: 10 ft.	width:		30	ft.	
Must have 25ft buffer from 3 streams that cross through the project site							
Additionally, there is a steep area near a drainage downslope that will need soil erosion BMPs							
⊠ Riparian vegetation present	length	: ft.	width:			ft.	
Cultural Resources		r	initials:	JS			
Cultural Resources Present: ☐ yes ♣ no ☐ Site flagged							
Description: As per consult with GIS.							
Site 1 GPS coordinates: E:	N:		_State Pla				
Site 2 GPS coordinates: E:	N:		_State Pla				
Site 3 GPS coordinates: E:	N:		State Pla	ane Ca	ШΝА	D83	
RTA Overview Photograph(s)				ini	tials:	N/A	
Camera Model:		Photo Dat	te:				
Camera Bearing degree	s Time of I	Day:1	Photo Num	ber:			
Photo 1 coordinates: E:	N:		State Pla				
Photo 2 coordinates: E:	N:		State Pla	ane Ca	. III NA	D83	
When naming photo after downloading, use the polygon number and suffix "A" (e.g., AC001A)							
Additional/Optional Unique Site	Characteristic		initials:				
Description: N/A	4						
notes:							
Camera Bearing degree	s Time of I	Day:]	Photo Num				
Photo coordinates: E:	N:		State Pla	ane Ca	. III NA	D83	
Comments: Recommend no heavy equipment off designated roads/trails if project implemented on							
wet/saturated soils (RG); Recommend spacing greater than 35ft. where native trees are present to							
enhance transition to oak-bay woodland (RG); Preserve native vegetation where possible (RG);							
Recommend herbicide application as needed for French Broom (AT).							
					-2.1		

I certify that this site assessment is complete and meets the EBRPD standards for natural resource protection in accordance with the Wildfire Hazard Reduction and Resource Management Plan

Neal Fujita, Stewardship Manager